


# Air Purifier

## Intruction Manual

IIAIRCLEAN1




iiglo®


# Safety Instructions


1. Read all instructions before using the appliance.
2. Do not use your air purifier outdoors.
3. Keep your air purifier away from water, and wet or damp areas. Never place in water or liquid.
4. Do not use where combustible gases, vapors, metallic dust, aerosol (spray) products, or fumes from industrial oil are present
5. Close supervision is necessary when any appliance is used by or near children, or disabled persons.
6. Always unplug the air purifier before moving or cleaning the unit, opening the upper part; changing the filter and whenever the unit is not in use. To disconnect the unit, be sure to pull out the power plug
7. When carrying, hold the center of the main unit to avoid excessive vibration or falling and hurting people.
8. Please make sure the filter cartridge lock is locked before running.
9. The suction port of the host should be more than 30cm away of from the wall and other obstructions.
10. Do not use inappropriate AC outlets.
11. Do not use the supplied AC power cord on any other device.
12. Please use the power cord provided in this package only, do not use power cords from other brands
13. Always turn the appliance off before unplugging it.
14. If the fan has abnormal rotation, abnormal noise, smell, high temperature and other abnormalities, please stop using it immediately.
15. Do not put your fingers or foreign objects in the protective parts, movable parts, suction port and exhaust port
16. Do not put your hair or cloths close to the main unit to avoid getting caught, or blocking the suction and exhaust ports.
17. Do not sit or lean on the unit.
18. Keep the cord out of heavy traffic areas. To avoid fire hazard, NEVER put the cord under rugs, near heat registers, radiators, stoves, or heaters.
19. Never place on a soft surface such as a bed or sofa as this could cause the unit to tip over and block the air inlet or outlet grills.
20. DO NOT attempt to repair or adjust any electrical or mechanical functions on this unit. Doing so will void your warranty. The inside of the unit contains no user serviceable parts. All servicing should be performed by an authorized.
21. To reduce the risk of fire or electrical shock, do not use the appliances with any solid-state speed control device.
22. This appliance should only be used in rooms with temperatures between 4.4 °C - 43 °C.
23. Use the appliance only for intended household use as described in this manual. Any other use not recommended by the manufacturer may cause fire, electric shock, or injury to persons. The use of attachments not recommended or sold by manufacturer may cause hazards.

# Product Overview




 Power button

 Timer- and backlight button

 Gear button

 Main screen  
(air quality index first display/gear display/timedisplay)


 Mode/Lock screen button

 Automatic gear indicator


 Sleep indicator

 Filter life indicator


 Lockscreen indicator

 Timing indicator

# Installation



- 1 Take out the power supply and power cord from the box




- 2 Install the filter element


Take out the equipment from the box and place it on the ground.




Press the button on the sides with both hands at the same time to unlock the head or upper part.



Remove the plastic bag placed over the filter element.




Put the filter element back into the filter element compartment




Reset the head to lock.



- 3 Connect the power supply.



# Operation




## Power button

Click the  to turn on the power. The air quality value will be displayed on the main screen after 3 seconds of initialization.  
Press and hold  for 3 seconds to turn it off






## Main screen

Real-time display of indoor air quality in green orange and red.






## Mode/Lock screen button

Short press  to switch between automatic mode  and sleep mode .




In sleep mode, the brightness of the light is dimmed and the air volume is reduced to low gear operation



Press and hold  for 3 seconds to enter the child lock mode . After entering the child lock, all the buttons are invalid; press and hold  for 5 seconds to deactivate the child lock.



## Gear button


Short press  : switch 1st gear, 2nd gear, 3rd gear, 4th gear, 5th gear, 6th gear





# Operation



## Time- and backlight button


Short press  to adjust the brightness of the backlight of the display. The brightness switches between bright and dark.



Press  3 seconds to enter the timer function, and the time can be set through the gear button 00H, 01H, 02H, ... 12H.



## Wi-Fi connection

Press  for 5 seconds to set/reset the WiFi, during the matching, the screen displays “WiFi”; if the match is successful, it will display “WiFi”

If the match fails, it will switch back to the normal display interface, and you need to start from the first step.

If you failed to match WiFi again, the match record will be cleared.



This product has been linked to the Smart Life and can be controlled using the app.

Scan the QR code, or search for “Smart Life” on the app store to download and install the app. Go to the homepage, click “+” in the middle of the page, then add the device as prompted.



Note: please ensure that your Wi-Fi network is both available and has internet access. Place your phone as close to this product as possible. (This product does not support 5G product will be listed as “Air Purifier P401” in the app’s device listing networks)



# Maintain


## Filter Replacement

The filter replacement period is 3-6 months. The filter life indicator changes from green to yellow when the filter is about to expire. After the filter life expires, the filter life indicator turns red and is accompanied by a prompt tone.

After setting, the device enters the countdown.



After replacing the new filter element, long press  and  for 2 seconds, the filter replacement is completed



## Troubleshooting

Malfunction	Does not work	Noisy during operation	Poor purification effect
Check item	Please check whether the upper machine head and filter element are installed in place.	Check if the filter element has been installed or the plastic bag of filter has been removed.	<ul style="list-style-type: none"> <li>• Check if the filter element is installed</li> <li>• Whether the filter bag has been removed</li> <li>• Whether the filter cartridge lock is locked</li> </ul>

\*Please contact customer support if you need further help.

## Basic Parameter Information

Product model: CL-AP400  
 Product size: 290\*560mm  
 Applicable area: up to 45 m<sup>2</sup>  
 CADR Particle: 400m<sup>3</sup>/h  
 Maximum power consumption: 30W  
 Noise: <66db (A)  
 Product weight: 5.5kg  
 Input Voltage: AC 100-240V 50/60hz  
 Power cord length: 1.5m

## Package Contents

Packaging Size: 340\*340\*640mm  
 Packaging List: 1x Air Purifier CL-AP400,  
 1x Filter, 1x Power Cord, 1x Instruction Manual



Sort as  
cardboard and  
plastic

Imported by iiglo | Østre Kullerød 4,  
N-3241 Sandefjord, Norway  
[www.iiglo.com](http://www.iiglo.com) | Made in China

**iiglo**<sup>®</sup>